



Established 1750

Samuel Lewis Limited


CONTRACTORS TO H.M. GOVERNMENT

'Lewis Anglo' Harrows



Manufacturers & Distributors of
Agricultural Hardware, Fencing & Gate Ironmongery, Harrows, Chains, Lorry & Trailer Fittings
Builders Ironwork & Accessories plus a vast range of fasteners
Upset Forgings, Presswork & Machining facilities

SQUARE SHOULDERED HARROW TEETH WITH SQUARE OR ROUND NECKS



SPARES SECTION

HARROW TEETH/TINES PRICE LIST
GP 3135

*Standard Square shouldered Harrow Teeth with square or round necks.
Please state square or round neck when ordering.
Centre or Side Pointed*

A		B	SIZE		C		D		Price per 10
4 1/2"	x	7/16"	shank	x	1 3/4"	x	3/8"	neck	
5"	x	7/16"	shank	x	1 3/4"	x	3/8"	neck	
5 1/2"	x	7/16"	shank	x	1 3/4"	x	3/8"	neck	AS
5"	x	1/2"	shank	x	1 3/4"	x	7/16"	neck	GENERAL
5 1/2"	x	1/2"	shank	x	1 3/4"	x	7/16"	neck	PRODUCTS
7"	x	1/2"	shank	x	2"	x	7/16"	neck	CATALOGUE
6"	x	9/16"	shank	x	2"	x	1/2"	neck	
6 1/2"	x	9/16"	shank	x	2"	x	1/2"	neck	
6 1/2"	x	5/8"	shank	x	2"	x	1/2"	neck	PLEASE
7"	x	5/8"	shank	x	2"	x	1/2"	neck	ASK
7"	x	3/4"	shank	x	2 1/2"	x	5/8"	neck	SALES
8"	x	3/4"	shank	x	2 1/2"	x	5/8"	neck	OFFICE
8"	x	7/8"	shank	x	2 1/2"	x	5/8"	neck	FOR
8"	x	7/8"	shank	x	3"	x	3/4"	neck	DETAILS
9"	x	7/8"	shank	x	3"	x	3/4"	neck	

Chisel and Duckfoot Tines

Non-standard sizes

Oval Neck

Square on Diamond

 } *Also
Available*

***** PLEASE GIVE US THE OPPORTUNITY TO QUOTE AGAINST LARGE QUANTITIES *****

ORDER FROM THE PEOPLE WHO CARE TEL: 0121-561 2157 • FAX: 0121-561 5273


www.sl-products.co.uk • email:sales@sl-products.co.uk

“LEWIS-ANGLO” SQUARE LINK CHAIN HARROWS

with LLOYDS TESTED WHIPPLETREE

MADE FROM HIGH YIELD STRESS STEEL to BS 15

(PATENT No. 891664)



TYPE 814

with Box section Whippetree

Made from best $\frac{3}{8}$ " sq. (10mm) Steel

Cat No.	To Cover	To Cover	Weight in lbs (approx)	Weight in kg (approx)
1	8½ x 7½ ft	2.6 x 2.3m	271	123
2	10 x 7½ ft	3.0 x 2.3m	320	145
3	12 x 7½ ft	3.6 x 2.3m	387	175


This Pattern Web is also available in 3ft. 3" and 4ft. wide sections with or without Whippetrees.
To suit A.T.V. Bikes and similar small vehicles.

TYPE 814B

with Steel Angle Whippetree

Made from best $\frac{3}{8}$ " sq. (10mm) Steel

Cat No.	To Cover	To Cover	Weight in lbs (approx)	Weight in kg (approx)
4	8½ x 7½ ft	2.6 x 2.3m	271	123
5	10 x 7½ ft	3.0 x 2.3m	320	145
6	12 x 7½ ft	3.6 x 2.3m	387	175





SPIKE and CHAIN HARROWS

with LLOYDS TESTED WHIPPLETREE
MADE FROM HIGH YIELD STRESS STEEL to BS 15
(PATENT No. 891664)

The Links are made from 3/8" (10mm) Square Steel and the Spikes from 7/16" (11mm) dia. Carbon Steel.
The Spike and Chain Harrow saves much time, as by once transversing the land as much effect is obtained as by passing an Ordinary Chain Harrow over three times. Specially useful for destroying Moss. Can be used as an Ordinary Chain Harrow by turning the spikes upwards.

TYPE 815
SIZES AND WEIGHTS

Catalogues	7	8	9	10	11
Cover	7 1/4 x 6 1/2 ft.	8 1/2 x 6 1/2 ft.	9 1/4 x 6 1/2 ft.	10 x 6 1/2 ft.	12 x 6 1/2 ft.
Cover	2.4 x 2.0m	2.6 x 2.0m	2.8 x 2.0m	3.0 x 2.0m	3.6 x 2.0m
Weight in lbs (approx)	252	277	304	325	391
Weight in kg (approx)	114	125	138	147	177


TYPE 815B
with Box section Whippletree

Cat No.	To Cover	To Cover	Weight in lbs (approx)	Weight in kg (approx)
12	8 1/2 x 6 1/2 ft	2.6 x 2.0m	277	125
13	10 x 6 1/2 ft	3.0 x 2.0m	325	147
14	12 x 6 1/2 ft	3.6 x 2.0m	391	177

This Pattern Web is also available in 3ft. 3" and 4ft. wide sections with or without Whippletrees.

To suit A.T.V. Bikes and similar small vehicles.





SMOOTH CHAIN HARROWS

No projections in the Links, which are smooth and lie flat. Indispensable on Golf Courses, Playing Fields, etc., to break up and scatter worm casts and to benefit grass, by lightly brushing and aerating it without tearing.

Catalogue No.	15	16	17
Cover	7 x 6 ft.	10 x 7 ft.	14 x 6 ft.
Cover	2.1 x 1.8m	3.0 x 2.1m	4.2 x 1.8m
Weight in lbs (approx)	112	168	280
Weight in kg (approx)	51	76	127

This Pattern Web is also available in 3ft. 3" and 4ft. wide sections with or without Whippetrees. To suit A.T.V. Bikes and similar small vehicles.





FLEXIBLE LINE HARROWS

The "LEWIS-ANGLO" FLEXIBLE LINE HARROWS ARE MADE FROM CARBON STEELS. They are UNEQUALLED for Tearing-out Moss. Spreading Manure and Mole Hills, Destroying Weeds, Harrowing Grass Land. This Pattern Web is also available in 3ft. 3" and 4ft. wide sections with or without Whippetrees. To suit A.T.V. Bikes and similar vehicles.

3/8" sq. (10mm) Rd. Tines

Catalogue No.	18	19	20	21
Cover	7 x 5 ft.	10 x 5 ft.	12 x 5 ft.	14 x 5 ft.
Cover	2.1 x 1.5m	3.0 x 1.5m	3.6 x 1.5m	4.2 x 1.5m
Weight in lbs (approx)	108	148	160	186
Weight in kg (approx)	49	63	72	84



PLEASE NOTE: We offer a much wider range of flexible harrows both to trail and on frames elsewhere in this catalogue.

ORDER FROM THE PEOPLE WHO CARE TEL: 0121-561 2157 • FAX: 0121-561 5273

www.sl-products.co.uk • email:sales@sl-products.co.uk

TYPE 819



FLEXIBLE TINE HARROWS

with LLOYDS TESTED WHIPPLETREE
MADE FROM HIGH YIELD STRESS STEEL to

BS 15

(PATENT No. 891664)

This Pattern Web is also available in 3ft. 3" and 4ft. wide sections with or without Whippletrees. To suit A.T.V. Bikes and similar small vehicles.



The "LEWIS-ANGLO" FLEXIBLE TINE HARROWS ARE MADE FROM CARBON STEELS. They are UNEQUALLED for Tearing-out Moss. Spreading Manure and Mole Hills, Destroying Weeds, Harrowing Grass Land.

HARD DURABLE TINES CANNOT GET OUT OF POSITION.
 EASILY REPAIRED, NEW LINKS SUPPLIED.

LIGHT

$\frac{5}{16}$ " (8mm) Rd. FOR LIGHT GROUND AND SURFACE WEEDS

Catalogue No.	46	47	48	49	50
Cover	7 $\frac{3}{4}$ x 6 $\frac{1}{2}$ ft	8 $\frac{1}{2}$ x 6 $\frac{1}{2}$ ft	9 $\frac{1}{4}$ x 6 $\frac{1}{2}$ ft	10 x 6 $\frac{1}{2}$ ft	12 x 6 $\frac{1}{2}$ ft
Cover	2.4 x 2.0m	2.6 x 2.0m	2.8 x 2.0m	3.0 x 2.0m	3.6 x 2.0m
Weight in lbs (approx)	114	120	129	137	161
Weight in kgs (approx)	52	55	59	63	73

LIGHT/MEDIUM

$\frac{3}{8}$ " (10mm) Rd. FOR MAKING SEED BEDS, CLEANING CROPS

Catalogue No.	51	52	53	54	55
Cover	7 $\frac{3}{4}$ x 6 $\frac{1}{2}$ ft	8 $\frac{1}{2}$ x 6 $\frac{1}{2}$ ft	9 $\frac{1}{4}$ x 6 $\frac{1}{2}$ ft	10 x 6 $\frac{1}{2}$ ft	12 x 6 $\frac{1}{2}$ ft
Cover	2.4 x 2.0m	2.6 x 2.0m	2.8 x 2.0m	3.0 x 2.0m	3.6 x 2.0m
Weight in lbs (approx)	136	147	161	174	199
Weight in kgs (approx)	62	67	73	79	90

MEDIUM

$\frac{7}{16}$ " (11mm) Rd. FOR GENERAL WORK

Catalogue No.	56	57	58	59	60
Cover	7 $\frac{3}{4}$ x 6 $\frac{1}{2}$ ft	8 $\frac{1}{2}$ x 6 $\frac{1}{2}$ ft	9 $\frac{1}{4}$ x 6 $\frac{1}{2}$ ft	10 x 6 $\frac{1}{2}$ ft	12 x 6 $\frac{1}{2}$ ft
Cover	2.4 x 2.0m	2.6 x 2.0m	2.8 x 2.0m	3.0 x 2.0m	3.6 x 2.0m
Weight in lbs (approx)	187	206	225	244	289
Weight in kgs (approx)	85	93	103	111	131

HEAVY

$\frac{1}{2}$ " (12mm) Rd. FOR HEAVY PASTURE


Catalogue No.	61	62	63
Cover	7 $\frac{3}{4}$ x 7 $\frac{1}{2}$ ft	10 x 7 $\frac{1}{2}$ ft	12 x 7 $\frac{1}{2}$ ft
Cover	2.4 x 2.0m	3.0 x 2.0m	3.6 x 2.0m
Weight in lbs (approx)	260	320	385
Weight in kgs (approx)	118	103	175

MASTER WHIPPLETREES FOR ANY DOUBLE WIDTH WORKING CAN BE SUPPLIED.

ORDER FROM THE PEOPLE WHO CARE TEL: 0121-561 2157 • FAX: 0121-561 5273

www.sl-products.co.uk • email:sales@sl-products.co.uk

FRAMES FOR THREE POINT LINKAGE




Frames made from 3" x 3" (63.5mm x 63.5mm). RHS giving a strongly built frame with wing frames folding for easy transportation.

A range of harrows to suit all types of soil and ground conditions suitable for category 1 and 2 linkage.


The Frame can be adjusted on the tractor linkage to ensure that the Harrows are level and this eliminates any tendency for the Harrow to dip at the front and are free to float. **THE FRAME IS NOT TO BE IN CONTACT WITH THE GROUND DURING USE AS IT IMPAIRS THE QUALITY OF THE WORK AND MAY RESULT IN DAMAGE TO THE EQUIPMENT.**

Available in:	10ft	12ft	14ft	16ft	Cover
	3.0m	3.6m	4.2m	4.9m	


To Accommodate:



Flexible in 11mm or 12mm diameter
Material Webs



Chain & Spike Webs



Chain Webs


ORDER FROM THE PEOPLE WHO CARE TEL: 0121-561 2157 • FAX: 0121-561 5273

www.sl-products.co.uk • email:sales@sl-products.co.uk

TYPE 818

“LEWIS-ANGLO” SOLID SECTION ZIG-ZAG HARROWS

with LLOYDS TESTED WHIPPLETREE
MADE FROM HIGH YIELD STRESS STEEL to BS 15
(PATENT No. 891664)



PATTERN	X	Teeth	Size 6" x 1/2"	150mm x 12mm	Available:
CAT No. 26	3 Sections	to cover	9' 6" 2.9m	WT. 98kgs	To trail or mounted
CAT No. 27	4 Sections	to cover	12' 8" 3.8m	WT. 127kgs	To trail or mounted
	5 Sections	to cover	15' 10" 4.8m		Mounted only
	6 Sections	to cover	19' 0" 5.8m		Mounted only
PATTERN	V	Teeth	Size 6 1/2" x 3/8"	165mm x 16mm	Available:
CAT No. 30	3 Sections	to cover	9' 6" 2.9m	WT. 123kgs	To trail or mounted
CAT No. 31	4 Sections	to cover	12' 8" 3.8m	WT. 165kgs	To trail or mounted
	5 Sections	to cover	15' 10" 4.8m		Mounted only
	6 Sections	to cover	19' 0" 5.8m		Mounted only
PATTERN	U	Teeth	Size 7" x 3/4"	175mm x 6mm	Available:
CAT No. 32	3 Sections	to cover	12' 0" 3.6m	WT. 185kgs	To trail or mounted
CAT No. 33	4 Sections	to cover	16' 0" 4.8m	WT. 185kgs	To trail or mounted
	5 Sections	to cover	20' 0" 6.0m	WT. 235kgs	Mounted only
PATTERN	T	Teeth	Size 7" x 3/4"	175mm x 6mm	Available:
CAT No. 34	2 Sections	to cover	8' 0" 2.4m	WT. 163kgs	To trail only
CAT No. 35	3 Sections	to cover	12' 0" 3.6m	WT. 232kgs	To trail or mounted
CAT No. 36	4 Sections	to cover	16' 0" 4.8m	WT. 305kgs	To trail or mounted
	5 Sections	to cover	20' 0" 6.0m	WT. 305kgs	Mounted only

“LEWIS-ANGLO” ZIG-ZAG MOUNTED FRAMES

Frames made from 3in. x 3in. (75mm x 75mm). RHS and 3in x 1/2in. (75mm x 12mm) flats giving a strongly built frame with wing frames for easy transportation.

A range of harrows to suit all types of soil and ground conditions suitable for category 1 and 2 linkage.

The Frame can be adjusted on the tractor linkage to ensure that the Harrows are level and thus eliminate any tendency for the Harrow to dip at the front and are free to float.

ORDER FROM THE PEOPLE WHO CARE TEL: 0121-561 2157 • FAX: 0121-561 5273

www.sl-products.co.uk • email:sales@sl-products.co.uk



Unisant Trading Estate, Powke Lane, Cradley Heath, West Midlands B64 5PP